

## SEARCHED

| Class          | Sub.                               | Date     | Exmr. |
|----------------|------------------------------------|----------|-------|
| 428            | 100, 104,<br>119, 120, 167,<br>172 | 4/22/02  | BPE   |
| 442            | 76, 101,<br>327                    | ↓        | ↓     |
| 128            | 852-853,<br>849                    | ↓        | ↓     |
| Updated Search |                                    | 10/22/02 | BPE   |
| Updated Search |                                    | 5/21/03  | BPE   |
| Updated Search |                                    | 12/17/03 | BPE   |

## INTERFERENCE SEARCHED

| Class | Sub. | Date | Exmr. |
|-------|------|------|-------|
|       |      |      |       |
|       |      |      |       |
|       |      |      |       |

## SEARCH NOTES (INCLUDING SEARCH STRATEGY)

| EAST SEARCH  | Date     | Exmr |
|--|----------|------|
| "Coefficient" near 3<br>Friction                                     | 4/22/02  | BPE  |
| "medical drape" and<br>stem  | ↓        | ↓    |
| medical and friction<br>and (woven or nonwoven)<br>and Thermoplastic | ↓        | ↓    |
| (projection or stem or<br>protrusion) and<br>friction and scrim      | ↓        | ↓    |
| Updated Search   | 10/22/02 | BPE  |
| Updated Search   | 5/21/03  | BPE  |
| Updated Search   | 12/17/03 | BPE  |

BEST AVAILABLE COPY